



AUTOMOTIVE REFINISHING • RÉPARATION AUTOMOBILE • AUTO REPARATURLACKIERUNG

Issue #210 EU

16<sup>th</sup> April 2015

# "The best Smart repair gun has just got better. New SRI Pro Lite joins the i-systempro line-up".

Our most versatile spray gun in the i-system pro range has just got even better. The new SRI Pro Lite, as the name suggests is now 45 grams lighter than its predecessor making it even more comfortable to operate and manoeuvre. The same outstanding performance continues from the previous model with a new addition to the setups for those small micro repairs that are becoming more commonplace within today's busy bodyshop and mobile repairers. With the new Micro setup sprayers have a much greater degree of control thanks to the lighter trigger action and finely tuned Micro air cap, fluid tip and needle set up.



# SRI Pro<sup>TM</sup> LITE

DeVilbiss Automotive Refinishing  
Ringwood Road, Bournemouth  
BH11 9JH England  
Tel: +44 (0) 1202 571111  
Fax: +44 (0) 1202 590054 / 64  
Email: ukinfo@devilbisseu.com

Surfaces & Finitions S.A.  
163-171 Avenue des Auréats, BP1453,  
26014 Valence Cedex, France  
Téléphone: +33 (0)4 75 75 27 00  
Téléfax: +33 (0)4 75 75 27 59  
Email: frinfo@devilbisseu.com

Oberflächentechnik GmbH  
Justus-von-Liebig-Straße 31, 63128  
Dietzenbach, Deutschland  
Telefon: +49 (0) 6074 / 403-1  
Telefax: +49 (0) 6074 / 403-300  
email: deinfo@devilbisseu.com



## Issue #210 EU

16<sup>th</sup> April 2015

Professional refinishers have long demanded a light, smooth and controllable trigger action to achieve the highest repair standards and the SRI Pro LITE achieves this with a new and improved spring which provides the painter with a super smooth trigger action, allowing them to blend air and fluid almost seamlessly to ensure airbrush like fan control, unparalleled finish quality and colour accuracy.

Along with the GTI Pro Lite orange anodising, we have also echoed the part numbering of the air caps to mirror the GTI Pro Lite with the TE5 replacing the TS1 and the HV5 replacing the HS1.

### Availability, Part Numbers & Pricing

The SRI Pro Lite Spray gun kits are available now and in stock at Bournemouth and can be ordered in the usual way by phone, fax or e-mail to customer services or your DeVilbiss sales representative.



Part Number	Description	List Price €
SRIPROL-TE5-08	Gravity Feed Gun with TE5 High Efficiency air cap & No. 08 fluid tip	€333.00
SRIPROL-HV5-10	Gravity Feed Gun with HV5 HVLP air cap & size No. 10 fluid tip	€333.00
SRIPROM-MC1-06	Gravity Feed Gun with MICRO air cap & size No. 06 fluid tip	€333.00
SRIPRO-102-MC1-BL-K	High-Efficiency Micro Air Cap and retaining ring	€77.20
SRIPRO-210-06M-K	Fluid Tip - Micro only	€55.80
SRIPRO-310-06M-K	Fluid Needle - Micro only	€25.60

DeVilbiss Automotive Refinishing  
Ringwood Road, Bournemouth  
BH11 1 9JH England  
Tel: +44 (0) 1202 571111  
Fax: +44 (0) 1202 590054 / 64  
Email: ukinfo@devilbisseu.com

Surfaces & Finitions S.A.  
163-171 Avenue des Aurolets, BP1453,  
26014 Valence Cedex, France  
Telephone: +33 (0)4 75 75 27 00  
Téléfax: +33 (0)4 75 75 27 59  
Email: frinfo@devilbisseu.com

Oberflächentechnik GmbH  
Justus-von-Liebig-Straße 31, 63128  
Dietzenbach, Deutschland  
Telefon: +49 (0) 6074 / 403-1  
Telefax: +49 (0) 6074 / 403-300  
email: deinfo@devilbisseu.com



AUTOMOTIVE REFINISHING ● RÉPARATION AUTOMOBILE ● AUTO REPARATURLACKIERUNG

**Issue #210 EU**

**16<sup>th</sup> April 2015**

**Sales Literature**

A new double sided A4 leaflet will be available soon, copies of which will be available through the Refinish Marketing Department, customer services or your local DeVilbiss sales representative.



**Specification**

Air Consumption	HV5: 135 l/min (4.8 cfm) @ 2.0 bar (30 psi) TE5: 100 l/min (3.5 cfm) @ 2.0 bar (30 psi) RS1: 55 l/min (1.9 cfm) @ 1.0 bar (15psi) MC1: 50 l/min (1.8 cfm) @ 1.0 bar (15psi) SRi Pro MICRO only
Air inlet thread	1/4" Universal
Cup Capacity	125 mls
Air cap & ring	Plated Brass
Fluid Tip	Stainless Steel
Needle	Stainless Steel
Weight (gun & cup)	455 gms

DeVilbiss Automotive Refinishing  
Ringwood Road, Bournemouth  
BH11 9H England  
Tel: +44 (0) 1202 571111  
Fax: +44 (0) 1202 590054 / 64  
Email: [ukinfo@devilbisseu.com](mailto:ukinfo@devilbisseu.com)

Surfaces & Finitions S.A.  
163-171 Avenue des Auroëts, BP1453,  
26014 Valence Cedex, France  
Téléphone: +33 (0)4 75 75 27 00  
Téléfax: +33 (0)4 75 75 27 59  
Email: [frinfo@devilbisseu.com](mailto:frinfo@devilbisseu.com)

Oberflächentechnik GmbH  
Justus-von-Liebig-Straße 31, 63128  
Dietzenbach, Deutschland  
Telefon: +49 (0) 6074 / 403-1  
Telefax: +49 (0) 6074 / 403-300  
e-mail: [deinfo@devilbisseu.com](mailto:deinfo@devilbisseu.com)

